


TYPE - SS BLOCK

**WELL SERVICE BLOCK
WITH SPRING**



DIMENSIONAL CHART

MODEL	API WORKING LOAD - TONS	SHEAVE SIZE INCHES	NUMBER OF SHEAVES	RECOMMENDED WIRE ROPE SIZE - INCHES	DIMENSIONS				ESTIMATED WEIGHT (LBS. / KG.)
					A (in. / mm.)	B (in. / mm.)	C (in. / mm.)	D (in. / mm.)	
WSS20B50	50	20	2	$\frac{7}{8} - 1$	58 / 1473 $\frac{1}{4}$	52 / 1320 $\frac{7}{8}$	23 / 584 $\frac{1}{4}$	14.5 / 368 $\frac{1}{4}$	1800 / 816 $\frac{1}{4}$
WSS17C50	50	17	3	$\frac{3}{4} - \frac{7}{8}$	56 / 1422 $\frac{3}{8}$	50 / 1270	20 / 508	18 / 457 $\frac{1}{4}$	1850 / 839
WSS24B75	75	24	2	$1 - 1\frac{1}{8}$	65 / 1651	59 / 1498 $\frac{5}{8}$	27 / 685 $\frac{7}{8}$	18 / 457 $\frac{1}{4}$	2150 / 975
WSS20C75	75	20	3	$\frac{7}{8} - 1$	61 / 1549 $\frac{3}{8}$	55 / 1397	23 / 584 $\frac{1}{4}$	18 / 457 $\frac{1}{4}$	2200 / 997 $\frac{3}{4}$
WSS24C100	100	24	3	$1 - 1\frac{1}{8}$	66 / 1676 $\frac{3}{8}$	60 / 1524	27 / 685 $\frac{7}{8}$	18 / 457 $\frac{1}{4}$	2750 / 1247
WSS30C150	150	30	3	$1 - 1\frac{1}{8}$	72 / 1828 $\frac{7}{8}$	66 / 1676 $\frac{3}{8}$	33 / 838 $\frac{1}{4}$	22 / 558 $\frac{7}{8}$	3350 / 1519 $\frac{1}{4}$
WSS30D150	150	30	4	$1\frac{1}{4}$	72 / 1828 $\frac{7}{8}$	66 / 1676 $\frac{3}{8}$	33 / 838 $\frac{1}{4}$	25 / 635	4150 / 1882