


TYPE - WS BLOCK

WELL SERVICE BLOCK



DIMENSIONAL CHART

MODEL	API WORKING LOAD - TONS	SHEAVE SIZE INCHES	NUMBER OF SHEAVES	RECOMMENDED WIRE ROPE SIZE - INCHES	DIMENSIONS				ESTIMATED WEIGHT (LBS. / KG.)
					A (in. / mm.)	B (in. / mm.)	C (in. / mm.)	D (in. / mm.)	
WS20B50	50	20	2	$\frac{7}{8} - 1$	47 / 1193 $\frac{7}{8}$	42 / 1066 $\frac{7}{8}$	23 / 584 $\frac{1}{4}$	14.5 / 368 $\frac{1}{4}$	1750 / 793 $\frac{5}{8}$
WS17C50	50	17	3	$\frac{3}{4} - \frac{7}{8}$	45 / 1143	38 / 965 $\frac{1}{4}$	20 / 508	18 / 457 $\frac{1}{4}$	1800 / 816 $\frac{1}{4}$
WS24B75	75	24	2	$1 - 1\frac{1}{8}$	54 / 1371 $\frac{5}{8}$	48 $\frac{3}{4}$ / 1238 $\frac{1}{4}$	27 / 685 $\frac{7}{8}$	18 / 457 $\frac{1}{4}$	2050 / 929 $\frac{5}{8}$
WS20C75	75	20	3	$\frac{7}{8} - 1$	50 / 1270	44 $\frac{3}{4}$ / 1136 $\frac{5}{8}$	23 / 584 $\frac{1}{4}$	18 / 457 $\frac{1}{4}$	2100 / 952 $\frac{3}{8}$
WS24C100	100	24	3	$1 - 1\frac{1}{8}$	54 / 1371 $\frac{5}{8}$	48 $\frac{3}{4}$ / 1238 $\frac{1}{4}$	27 / 685 $\frac{7}{8}$	18 / 457 $\frac{1}{4}$	2250 / 1020 $\frac{3}{8}$
WS24D100	100	24	4	$1\frac{1}{4}$	54 / 1371 $\frac{5}{8}$	48 $\frac{3}{4}$ / 1238 $\frac{1}{4}$	27 / 685 $\frac{7}{8}$	21 / 533 $\frac{3}{8}$	2600 / 1179
WS30C150	150	30	3	$1 - 1\frac{1}{8}$	58 / 1473 $\frac{1}{4}$	11 $\frac{1}{4}$ / 285 $\frac{3}{4}$	33 / 838 $\frac{1}{4}$	22 / 558 $\frac{7}{8}$	3200 / 1451 $\frac{1}{4}$
WS30D150	150	30	4	$1\frac{1}{4}$	58 / 1473 $\frac{1}{4}$	11 $\frac{1}{4}$ / 285 $\frac{3}{4}$	33 / 838 $\frac{1}{4}$	25 / 635	4000 / 1814